

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

OISHI, K. et al.

Atty. Ref.: 461-76

Serial No. unknown

Group:

Filed: January 25, 2002

Examiner:

For: ELECTROMAGNETIC DRIVING DEVICE AND FLOW RATE CONTROLLING
APPARATUS EMPLOYING THE SAME DRIVING DEVICE

* * * * *

January 25, 2002

Assistant Commissioner for Patents
Washington, DC 20231

Sir:

PRELIMINARY AMENDMENT

In order to place the above-identified application in better condition for
examination, please amend the application as follows:

IN THE CLAIMS

Please substitute the following amended claims for corresponding claims
previously presented. A copy of the amended claims showing current revisions is
attached.

3. An electromagnetic driving device as set forth in Claim 1, wherein the hardness of at least one of sliding surfaces of said housing portion and said movable core is made equal to or larger than HV200, and wherein a difference in hardness between said sliding surface is equal to or smaller than HV300.

7. A flow rate controlling apparatus comprising;

a housing having a plurality of fluid paths which penetrate through a cylindrical circumferential wall,

an electromagnetic driving device as set forth in Claim 1,

a movable member adapted to reciprocate together with said movable core to thereby control the flow rate of fluid flowing through said fluid paths,
and

biasing means for biasing said movable member in a direction opposite to a direction in which said movable core is attracted by said attracting portion.

REMARKS

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page(s) is captioned "**Version With Markings To Show Changes Made.**"

Respectfully submitted,

NIXON & VANDERHYE P.C.

For
By: J H Nixon 30481
Larry S. Nixon
Reg. No. 25,640

LSN:ecb
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100

VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE CLAIMS

3. An electromagnetic driving device as set forth in Claim 1 ~~or~~ 2, wherein the hardness of at least one of sliding surfaces of said housing portion and said movable core is made equal to or larger than HV200, and wherein a difference in hardness between said sliding surface is equal to or smaller than HV300.

7. A flow rate controlling apparatus comprising;

a housing having a plurality of fluid paths which penetrate through a cylindrical circumferential wall,

an electromagnetic driving device as set forth in ~~any of~~ Claims 1 ~~to~~ 6,

a movable member adapted to reciprocate together with said movable core to thereby control the flow rate of fluid flowing through said fluid paths, and

biasing means for biasing said movable member in a direction opposite to a direction in which said movable core is attracted by said attracting portion.